

The firmware version of the mecablitz 48 AF-1 digital can be read directly from the flash unit. For this you have to switch on the mecablitz with pressed mode-button. At display now you can see the firmware version.

Basically the current firmware version also includes the modifications and improvements of former firmware versions.

mecablitz 48 AF-1 digital	Firmware version	Released on:	Reason of modification:
Canon	1.0		First edition Canon
	2.0	17.07.2009	Improvement: The custom functions and flash modes also can be set by the menu of the current cameras.
	2.2	24.02.2010	Improvements: 1. Flash distance also is shown at high ISO values. 2. Operation of remote mode enhanced. 3. Test flash with partial light output level.
	3.1	16.02.2011	Improvements: 1. Servo mode with preflash suppression possible. 2. OK signal at TTL-flash-mode enhanced.
	4.0	12.04.2011	Now also for Canon EOS 650D, EOS 600D, EOS 1100D.
Nikon	1.0		First edition Nikon
	2.0	16.07.2008	Now also for Nikon D3.
	3.0	09.10.2008	Now also for Nikon D700.
	3.1	12.11.2009	Improvements: 1. Zoom-Size function possible. 2. Operation of remote mode enhanced. 3. Test flash with partial light output level.
	4.1	16.02.2011	Improvement: Servo mode without preflash suppression possible.
	4.2	13.07.2011	Improvement: Operation of remote mode enhanced.



mecablitz 48 AF-1 digital	Firmware version	Released on:	Reason of modification:
Olympus/Panasonic	1.0		First edition Olympus/Panasonic/Leica
	2.0	16.06.2008	Now also for Panasonic DMC-L10 and for RC-mode with Olympus E-3, E-420, E-520, SP-570. The Olympus RC-mode replaces the previous remote mode.
	2.1	25.06.2009	Improvement: Operation of remote mode enhanced.
	3.1	16.02.2011	Improvement: Servo mode without preflash suppression for Olympus possible.
	3.2	26.06.2012	Improvements: 1. Wake up function enhanced 2. Continuous shooting enhanced (depends on camera type)
	4.0	21.02.2013	Improvement: Slave function with Panasonic DMC-GH3, Olympus PEN E-PL5 and Olympus OM-D E-M5 enhanced
Pentax	1.0		First edition Pentax/Samsung
	1.1	30.12.2009	Improvements: 1. Flash range indication enhanced. 2. Test flash with partial light output level.
	2.0	-	-
	3.0	16.02.2011	Improvements: 1. Servo mode with preflash suppression possible. 2. EV correction remains after power off/on. 3. Rear function with Pentax K-r and K-5.
	4.0	27.07.2012	Now also for Pentax K-01
	5.0	18.06.2013	Improvement: HSS function with Pentax K-30 and K-5 II will be enabled.



mecablitz 48 AF-1 digital	Firmware version	Released on:	Reason of modification:
Sony	1.0		First edition Sony/Konica Minolta
	2.0	20.05.2008	Now also for Sony A300 and A350. Life view mode in normal und remote mode is supported.
	3.0	24.02.2010	Improvements: 1. Zoom-Size function possible. 2. Additionally slave function at remote system "CTRL+".
	4.0	-	-
	5.0	16.02.2011	Now also for Sony A55 and A580. Improvement: Servo mode with preflash suppression possible.
	6.0	24.01.2012	Now also for Sony A57, A65, A77 and NEX-7.